



CLAIMS

I claim:

1. A compound of general formula (I)



wherein R is a group of general formula (A):



wherein

R_1 and R_3 are independently selected from the substituted and unsubstituted group consisting of C_1 - C_{10} -alkyl, C_3 - C_6 -cycloalkyl, C_3 - C_6 -cycloalkenyl, C_2 - C_{10} -alkenyl, C_6 - C_{14} -aryl and a heterocycle, and hydrogen;

R_2 is selected from the substituted and unsubstituted group consisting of C_1 - C_6 -alkylene, C_3 - C_6 -cycloalkylene, C_3 - C_6 -cycloalkenylene, C_2 - C_6 -alkenylene, C_6 - C_{14} -arylene and a heterocycle;


R_1 and R_2 and/or R_2 and R_3 can form an heterocycle optionally containing further nitrogen atoms;


Y is a physiologically compatible anion;

i and n are independently natural numbers ≥ 1 , and


physiologically compatible addition salts,

provided that R is not:






and that if Y is NO_3^- R is not



and


5

that if Y is NO_3^- , ClO_4^- or Cl^- , R is not




2. The compound according to claim 1, wherein Y in general formula (I) is SCN.

3. A medicament, containing a compound of general formula (I)



10

wherein R is a group of the general formula (A)



wherein

R_1 and R_3 are independently selected from the substituted and unsubstituted group consisting of C_1 - C_{10} -alkyl, C_3 - C_6 -cycloalkyl, C_3 - C_6 -cycloalkenyl, C_2 - C_{10} -alkenyl, C_6 - C_{14} -aryl and a heterocycle, and hydrogen;

R_2 is selected from the substituted and unsubstituted group consisting of C_1 - C_6 -alkylene, C_3 - C_6 -cycloalkylene, C_3 - C_6 -cycloalkenylene, C_2 - C_6 -alkenylene, C_6 - C_{14} -arylene and a heterocycle;


R_1 and R_2 and/or R_2 and R_3 can form an heterocycle optionally containing further nitrogen atoms;

Y is a physiologically compatible anion;


i and n are independently natural numbers ≥ 1 , and

physiologically compatible addition salts.

4. The medicament according to claim 3, wherein R in general formula (I) is:



5. The medicament according to claim 3, wherein R in general formula (I) is:



5

6. A method of preventing or treating cancer diseases comprising using a compound of general formula (I) according to claim 1.